

Amendments to the claims:

Claim 1 (original):        A mechanism for causing a flow of liquid crystal comprising:  
a channel defined by at least one wall surface;  
liquid crystal which is put in the channel and movable along said at least one wall  
surface; and  
a means for applying an electric or magnetic field to the molecules of the liquid crystal to  
turn them in a plane intersecting said at least one wall surface,  
the means including a sub-means for twisting the molecules about an axis intersecting said at  
least one wall surface and restricting the molecules so that they will turn in one and the same  
direction.

Claim 2 (currently amended):    [[A]] The mechanism of claim 1 for causing a flow of  
liquid crystal ~~according to claim 1~~ wherein:  
the channel is defined by a pair of wall surfaces facing each other;  
the liquid crystal is put between the paired wall surfaces; and  
the sub-means has a pair of orientation films, either of the paired wall surface being fitted  
with one orientation film, the surfaces of the orientation films being rubbed in the  
same direction.

Claim 3 (currently amended):    [[A]] The mechanism of claim 1 for causing a flow of  
liquid crystal ~~according to claim 1~~ wherein:  
the channel is defined by a pair of wall surfaces facing each other;  
the liquid crystal is put between the paired wall surfaces; and  
the sub-means has a pair of orientation films, either of the paired wall surface being fitted  
with one orientation film, the rubbing direction of the surface of one orientation film  
being at an angle with the rubbing direction of the surface of the other orientation  
film.

Claim 4 (currently amended):    [[A]] The mechanism of claim 1 for causing a flow of

liquid crystal ~~according to claim 1~~ wherein the molecules of the liquid crystal are tilted relatively to the wall surface or one of the paired wall surfaces. .

Claim 5 (currently amended):    [[A]] The mechanism of claim 1 for causing a flow of liquid crystal according to claim 1, 2, 3, or 4 wherein:

the means includes a controller to control the timing in applying an electric or magnetic field to the liquid crystal and the intensity of the electric or magnetic field; and the controller applies an electric or magnetic field to the liquid crystal intermittently.

Claim 6 (currently amended):    The mechanism of claim 2 for causing a flow of liquid crystal wherein:

the means includes a controller to control the timing in applying an electric or magnetic field to the liquid crystal and the intensity of the electric or magnetic field; and the controller applies an electric or magnetic field to the liquid crystal intermittently.

~~An object moving mechanism comprising: a fixed lower member; a movable upper member of which the lower surface faces the upper surface of the fixed lower member and which is movable along the upper surface of the fixed lower member; liquid crystal put between the upper surface of the fixed lower member and the lower surface of the movable upper member; and a means for applying an electric field to the molecules of the liquid crystal to turn them in a plane intersecting the upper surface of the fixed lower member, the means including: a pair of electrodes, one being fitted to the fixed lower member, the other being fitted to the movable upper member; and a sub means which is fitted onto the fixed lower and movable upper members and restricts the molecules of the liquid crystal so that they will turn in one and the same direction.~~

Claim 7 (currently amended):    The mechanism of claim 3 for causing a flow of liquid crystal wherein:

the means includes a controller to control the timing in applying an electric or magnetic field to the liquid crystal and the intensity of the electric or magnetic field; and the controller applies an electric or magnetic field to the liquid crystal intermittently.

~~An object-moving mechanism comprising: a fixed lower member; a movable upper member of which the lower surface faces the upper surface of the fixed lower member and which is movable along the upper surface of the fixed lower member; liquid crystal put between the upper surface of the fixed lower member and the lower surface of the movable upper member; and a means for applying a magnetic field to the molecules of the liquid crystal to turn them in a plane intersecting the upper surface of the fixed lower member, the means including: a pair of magnetic poles, one being fitted to the fixed lower member, the other being fitted to the movable upper member; and a sub-means which is fitted onto the fixed lower and movable upper members and restricts the molecules of the liquid crystal so that they will turn in one and the same direction.~~

Claim 8 (currently amended): The mechanism of claim 4 for causing a flow of liquid crystal wherein:

the means includes a controller to control the timing in applying an electric or magnetic field to the liquid crystal and the intensity of the electric or magnetic field; and the controller applies an electric or magnetic field to the liquid crystal intermittently.

~~An object-moving mechanism according to claim 6 or 7 wherein the sub-means has a pair of rubbed orientation films, one being fitted onto the upper surface of the fixed lower member, the other being fitted onto the lower surface of the movable upper member.~~

Claim 9 (currently amended): An object-moving mechanism comprising:  
a fixed lower member;  
a movable upper member of which the lower surface faces the upper surface of the fixed lower member and which is movable along the upper surface of the fixed lower member;  
liquid crystal put between the upper surface of the fixed lower member and the lower surface of the movable upper member; and  
a means for applying an electric field to the molecules of the liquid crystal to turn them in a plane intersecting the upper surface of the fixed lower member,  
the means including:

a pair of electrodes, one being fitted to the fixed lower member, the other being fitted to the movable upper member; and

a sub-means which is fitted onto the fix lower and movable upper members and restricts the molecules of the liquid crystal so that they will turn in one and the same direction.

~~An object-moving mechanism according to claim 6 or 7 wherein the sub-means twists the liquid crystal between the upper surface of the fixed lower member and the lower surface of the movable upper member.~~

Claim 10 (currently amended): An object-moving mechanism comprising:

a fixed lower member;

a movable upper member of which the lower surface faces the upper surface of the fixed lower member and which is movable along the upper surface of the fixed lower member;

liquid crystal put between the upper surface of the fixed lower member and the lower surface of the movable upper member; and

a means for applying a magnetic field to the molecules of the liquid crystal to turn them in a plane intersecting the upper surface of the fixed lower member,

the means including:

a pair of magnetic poles, one being fitted to the fixed lower member, the other being fitted to the movable upper member; and

a sub-means which is fitted onto the fix lower and movable upper members and restricts the molecules of the liquid crystal so that they will turn in one and the same direction. ~~An object-moving mechanism comprising: an outer member which has a space in it; a shaft which is put in the space for free rotation; liquid crystal which is put between the inside surface of the outer member and the surface of the shaft; and a means for applying a radial electric field to the molecules of the liquid crystal to turn them in a plane intersecting the axis of the shaft, the means including: a pair of electrodes, one being fitted to the outer member, the other being fitted to the shaft; and a sub-means which is fitted onto the outer member and the shaft and restricts the molecules of the liquid crystal so that they will turn in one and the same direction.~~

Claim 11 (currently amended): The object-moving mechanism of claim 9 wherein the sub-means has a pair of rubbed orientation films, one being fitted onto the upper surface of the fixed lower member, the other being fitted onto the lower surface of the movable upper member. ~~An object-moving mechanism comprising: an outer member which has a space in it; a shaft which is put in the space for free rotation; liquid crystal which is put between the inside surface of the outer member and the surface of the shaft; and a means for applying a radial magnetic field to the molecules of the liquid crystal to turn them in a plane intersecting the axis of the shaft, the means including: a pair of magnetic poles, one being fitted to the outer member, the other being fitted to the shaft; and a sub-means which is fitted onto the outer member and the shaft and restricts the molecules of the liquid crystal so that they will turn in one and the same direction.~~

Claim 12 (currently amended): The object-moving mechanism of claim 10 wherein the sub-means has a pair of rubbed orientation films, one being fitted onto the upper surface of the fixed lower member, the other being fitted onto the lower surface of the movable upper member. ~~An object-moving mechanism according to claim 10 or 11 wherein: the sub-means has an orientation film laid on the inside surface of the outer member and an orientation film laid on the surface of the shaft; the orientation film of the outer member is rubbed in the direction at an angle with the axis of the shaft; and the orientation film of the shaft is rubbed in the direction at an angle with the axis of the shaft.~~

Claim 13 (currently amended): The object-moving mechanism of claim 9 wherein the sub-means twists the liquid crystal between the upper surface of the fixed lower member and the lower surface of the movable upper member. ~~An object-moving mechanism according to claim 10 or 11 wherein the sub-means twists the liquid crystal between the inside surface of the outer member and the surface of the shaft.~~

Claim 14 (currently amended): The object-moving mechanism of claim 10 wherein the sub-means twists the liquid crystal between the upper surface of the fixed lower member and

the lower surface of the movable upper member. ~~An object-moving mechanism comprising: an outer member which has an inner space defined by a pair of horizontal upper and lower wall surfaces; an inner member which is put in the space to divide it into right and left subspaces and movable right and left along the upper and lower wall surfaces; liquid crystal which is put in the space; and a means for applying an electric or magnetic field to the molecules of the liquid crystal to turn them in one and the same direction in a plane intersecting the inside of the outer member, the means including a sub-means for twisting the liquid crystal about an axis intersecting one of the paired wall surfaces and restricting the molecules of the liquid crystal so that those in the right sub-space will turn in one direction and those in the left sub-space will turn in the opposite direction.~~

Claim 15 (currently amended): An object-moving mechanism comprising:  
an outer member which has a space in it;  
a shaft which is put in the space for free rotation;  
liquid crystal which is put between the inside surface of the outer member and the surface of the shaft; and  
a means for applying a radial electric field to the molecules of the liquid crystal to turn them in a plane intersecting the axis of the shaft,  
the means including:  
a pair of electrodes, one being fitted to the outer member, the other being fitted to the shaft; and  
a sub-means which is fitted onto the outer member and the shaft and restricts the molecules of the liquid crystal so that they will turn in one and the same direction.  
~~An object-moving mechanism according to claim 14 wherein the sub-means has a pair of orientation films, either of the upper and lower wall surface being fitted with one orientation film, the parts of the upper and lower orientation films on the right side of the inner members being rubbed from the left to the right, the parts of the upper and lower orientation films on the left side of the inner members being rubbed from the right to the left.~~

Claim 16 (currently amended): An object-moving mechanism comprising:  
an outer member which has a space in it;  
a shaft which is put in the space for free rotation;  
liquid crystal which is put between the inside surface of the outer member and the surface  
of the shaft; and  
a means for applying a radial magnetic field to the molecules of the liquid crystal to turn  
them in a plane intersecting the axis of the shaft,  
the means including:  
a pair of magnetic poles, one being fitted to the outer member, the other being fitted to  
the shaft; and  
a sub-means which is fitted onto the outer member and the shaft and restricts the  
molecules of the liquid crystal so that they will turn in one and the same direction. An  
~~object-moving mechanism according to claim 6, 7, 10, 11, or 14 wherein: the means~~  
~~includes a controller to control the timing in applying an electric or magnetic field to~~  
~~the liquid crystal and the intensity of the electric or magnetic field; and the controller~~  
~~applies an electric or magnetic field to the liquid crystal intermittently.~~

Claim 17 (currently amended): The object-moving mechanism of claim 15  
wherein:  
the sub-means has an orientation film laid on the inside surface of the outer member and  
an orientation film laid on the surface of the shaft;  
the orientation film of the outer member is rubbed in the direction at an angle with the  
axis of the shaft; and  
the orientation film of the shaft is rubbed in the direction at an angle with the axis of the  
shaft. ~~A method of causing a flow of liquid crystal comprising the steps of: putting~~  
~~liquid crystal in a channel defined by at least one wall surface; twisting the liquid crystal~~  
~~about an axis intersecting said at least one wall surface and restricting the molecules of~~  
~~the liquid crystal so that they will turn in one and the same direction by using a~~  
~~twisting/restricting means; and applying an electric or magnetic field to the restricted~~  
~~molecules, the field being in a direction intersecting said at least one wall surface, to turn~~

~~them by using a field applying/molecule turning means.~~

Claim 18 (currently amended).      The object-moving mechanism of claim 16  
wherein:

the sub-means has an orientation film laid on the inside surface of the outer member and  
an orientation film laid on the surface of the shaft;

the orientation film of the outer member is rubbed in the direction at an angle with the  
axis of the shaft; and

the orientation film of the shaft is rubbed in the direction at an angle with the axis of the  
shaft. ~~A method of causing a flow of liquid crystal according to claim 17 wherein: the~~

~~channel has a pair of wall surfaces facing each other; and the twisting/restricting means~~  
~~has a pair of orientation films, either of the paired wall surfaces being fitted with one~~  
~~orientation film, the paired orientation films being rubbed in one and the same direction.~~

Claim 19 (currently amended):      The object-moving mechanism of claim 15  
wherein the sub-means twists the liquid crystal between the inside surface of the outer  
member and the surface of the shaft. ~~A method of causing a flow of liquid crystal according~~  
~~to claim 17 wherein: the channel has a pair of wall surfaces facing each other; and the~~  
~~twisting/restricting means has a pair of orientation films, either of the paired wall surfaces~~  
~~being fitted with one orientation film, the rubbing direction of one orientation film is at an~~  
~~angle with the rubbing direction of the other orientation film.~~

Claim 20 (currently amended):      The object-moving mechanism of claim 16  
wherein the sub-means twists the liquid crystal between the inside surface of the outer  
member and the surface of the shaft. ~~A method of causing a flow of liquid crystal~~  
~~according to claim 17 wherein: the field applying/molecule turning means includes a~~  
~~controller to control the timing in applying an electric or magnetic field to the liquid crystal~~  
~~and the intensity of the electric or magnetic field; and the controller applies an electric or~~  
~~magnetic field to the liquid crystal intermittently.~~



Claim 21 (new):        An object-moving mechanism comprising:  
an outer member which has an inner space defined by a pair of horizontal upper and lower wall surfaces;  
an inner member which is put in the space to divide it into right and left subspaces and movable right and left along the upper and lower wall surfaces;  
liquid crystal which is put in the space; and  
a means for applying an electric or magnetic field to the molecules of the liquid crystal to turn them in one and the same direction in a plane intersecting the inside of the outer member,  
the means including a sub-means for twisting the liquid crystal about an axis intersecting one of the paired wall surfaces and restricting the molecules of the liquid crystal so that those in the right sub-space will turn in one direction and those in the left sub-space will turn in the opposite direction.

Claim 22 (new):        The object-moving mechanism of claim 21 wherein the sub-means has a pair of orientation films, either of the upper and lower wall surface being fitted with one orientation film, the parts of the upper and lower orientation films on the right side of the inner members being rubbed from the left to the right, the parts of the upper and lower orientation films on the left side of the inner members being rubbed from the right to the left.

Claim 23 (new):        The object-moving mechanism of claim 9 wherein:  
the means includes a controller to control the timing in applying an electric or magnetic field to the liquid crystal and the intensity of the electric or magnetic field; and  
the controller applies an electric or magnetic field to the liquid crystal intermittently.

Claim 24 (new):        The object-moving mechanism of claim 10 wherein:  
the means includes a controller to control the timing in applying an electric or magnetic field to the liquid crystal and the intensity of the electric or magnetic field; and  
the controller applies an electric or magnetic field to the liquid crystal intermittently.

Claim 25 (new):        The object-moving mechanism of claim 15 wherein:  
the means includes a controller to control the timing in applying an electric or magnetic  
field to the liquid crystal and the intensity of the electric or magnetic field; and  
the controller applies an electric or magnetic field to the liquid crystal intermittently.

Claim 26 (new):        The object-moving mechanism of claim 16 wherein:  
the means includes a controller to control the timing in applying an electric or magnetic  
field to the liquid crystal and the intensity of the electric or magnetic field; and  
the controller applies an electric or magnetic field to the liquid crystal intermittently.

Claim 27 (new):        The object-moving mechanism of claim 21 wherein:  
the means includes a controller to control the timing in applying an electric or magnetic  
field to the liquid crystal and the intensity of the electric or magnetic field; and  
the controller applies an electric or magnetic field to the liquid crystal intermittently.

Claim 28 (new):        A method of causing a flow of liquid crystal comprising the  
steps of:

putting liquid crystal in a channel defined by at least one wall surface;  
twisting the liquid crystal about an axis intersecting said at least one wall surface and  
restricting the molecules of the liquid crystal so that they will turn in one and the  
same direction by using a twisting/restricting means; and  
applying an electric or magnetic field to the restricted molecules, the field being in a  
direction intersecting said at least one wall surface, to turn them by using a field-  
applying/molecule-turning means.

Claim 29 (new):        The method of claim 28 of causing a flow of liquid crystal  
wherein:

the channel has a pair of wall surfaces facing each other; and  
the twisting/restricting means has a pair of orientation films, either of the paired wall  
surfaces being fitted with one orientation film, the paired orientation films being

rubbed in one and the same direction.

Claim 30 (new):        The method of claim 28 of causing a flow of liquid crystal wherein:

the channel has a pair of wall surfaces facing each other; and

the twisting/restricting means has a pair of orientation films, either of the paired wall surfaces being fitted with one orientation film, the rubbing direction of one orientation film is at an angle with the rubbing direction of the other orientation film.

Claim 31 (new):        The method of claim 28 of causing a flow of liquid crystal wherein:

the field-applying/molecule-turning means includes a controller to control the timing in applying an electric or magnetic field to the liquid crystal and the intensity of the electric or magnetic field; and

the controller applies an electric or magnetic field to the liquid crystal intermittently.